

Collomatic LevMix



Quicker, lighter and more cost effective – your champion for liquid floor leveling compounds





COLLOMATIC

Your formula for success: Getting jobs done more quickly – with up to 50% less effort.

When it comes to working with liquid floor leveling compounds, you know all about it: Fast work is regularly held up by time-consuming mixing and the highly exhausting job of transporting and pouring. Move in the fast lane with the Collomatic LevMix.

This unique mobile mixer enables all these operations to be completed quickly and easily by just one person on his own. The effective effort you put in is reduced by almost half compared to a pure hand-held mixing.

This is how a winner looks like – Collomatic LevMix in detail.



Opening

Cover with various detent positions for safe lowering

Powerful drive unit

1.6 kW motor for reliable and long-lasting operation

Safety switch

Switching the mixer on and off; undervoltage release

Handle bar

For guiding and pouring safely

Compact dimensions

Easy to maneuver and pour

75 liter mixing bucket

Suitable for max. 3 sacks/55 liters. Thick-walled bucket material with pouring device: Standard bucket, not a special shape

Maximum mobility

With 4 steering rollers for moving in all directions; pour and move in one go

Foot lever

Foot-operated, safe release of the mixing bucket



Dust collection

Dust free operation with practical connection for the vacuum cleaner. Half bucket cover reduces considerably the dust emission.



Quick-release coupling

No additional tools needed for fitting and removing the paddle.



Mixing tool

VLX 160 HF

Mixes with high shear force, prevents the formation of lumps and residual of material at the bottom and on the side.





Mixing

BENEFITS TO YOU:

- ◆ Cost effective:
Up to 3 sacks can be mixed at the same time with short mixing times
- ◆ Top mixing quality:
No lumps, no sediment on the base thanks to an effective mixing tool



Transport

BENEFITS TO YOU:

- ◆ Protects your health:
No more exhausting reloading in to another transport bucket
- ◆ Highly mobile:
Easy to transport and move on the construction side, thanks to 4 fully moving steering rollers



Processing

BENEFITS TO YOU:

- ◆ Higher efficiency:
Thanks to reduced manpower requirements and quick work
- ◆ Good for your back:
Easy pouring and perfect material spreading

Summary: With uncompromising mixing quality, maximum profitability and an ergonomic design to reduce strain, the Collomatic LevMix will make you the number 1 at the building site.

Perfectly designed for:

Floor leveling compounds and levelers, leveling compounds, pouring screed, fiber-reinforced fillers, colored surfacing materials, liquid plastics

TECHNICAL DATA

Mixing volume:	55 liters	Dimensions (l x w x h):	1190 x 520 x 690 mm
Bucket capacity:	75 liters	Article number of LevMix:	37.102 (EU)
Max. load:	100 kg	Mixing tool:	VLX 160 HF
Output:	1,600 W	Article number of VLX:	70.100
Speed:	660 rpm (no-load)	Article number of the mixing bucket:	70.115 Mixing bucket without spout
	410 rpm (under load)		
Weight, empty:	42 kg	Article number of spout	71.061

**Get started with a more efficient processing of liquid floor leveling compounds.
We will be glad to advise you.**

Collomix GmbH
Daimlerstraße 9
85080 Gaimersheim
Germany

Telefon: (08458) 32 98 0
Telefax: (08458) 32 98 30
Email: info@collomix.de
Web: www.collomix.de